

MEDICLIENT / MEDIVIEW



Product Overview

MEDICLIENT / MEDIVIEW



- ▶ Easy connection to hospital IT: connectivity wireless (WiFi, BT) or via isolated Ethernet interfaces and isolated serial ports
- ▶ Anti-glare and anti-fingerprint surface finish for best readability
- ▶ Seamless, flush all-glass front for best cleanability
- ▶ Robust powder coated stainless steel housing
- ▶ PCAP touch operation even with medical gloves
- ▶ MediClient: Intel® Core™ i5-8365UE processors or Intel® Celeron® 4305UE processors
- ▶ Customization such as branding, I/Os, computing performance, software integration, etc.
- ▶ IEC 60601-1 compliant



All-in-one Medical Panel PC meets highest requirements for hygiene and connectivity

SYSTEM FEATURES



Easy to clean design

Seamless, flush all-glass front, round corners, smooth and inclined surfaces, dripping water protected connector area




Always perfectly legible

Glass surface with anti-glare and anti-fingerprint surface treatment

Smooth and reliable control

Multi-touch PCAP ready for glove operation, water drop rejection and palm rejection

SYSTEM FEATURES



Service friendly

Functional separation:

- *Visualization in chassis with Display and PCAP
- *Processing and IO in the rear cover

Robust and durable

All-metal stainless steel enclosure with powder coating

Connected

Wireless LAN, BT, RFID
Isolated COM & ETH
Isolated PWR-in
SDC-ready



MEDICLIENT/MEDIVIEW – CONFIGURATION

MediClient / MediView series
21.5" / PCAP

MediClient
Intel® embedded CPUs
(8th Generation Intel® Core™ or Intel Atom®)
4...32GB RAM / 128 GB ... 1TB SSD
2x LAN isol. / 3x COM isol. / 4x USB 3.0

MediView
DP / DVI-I

Isolated PWR-in

Status LED

Function keys

RFID

WLAN


Isolated PWR-in

Status LED

Function keys



MEDICLIENT/MEDIVIEW – MAKE IT YOURS



- ▶ Branding
e.g. color, print,
shape, ...
- ▶ Interfaces
- ▶ Other CPU platforms
- ▶ Software
- ▶ Antibacterial
surfaces


- ▶ Burn-in
- ▶ Software Installation
- ▶ ISO 13485

- ▶ OEM packaging
- ▶ Pendulum packaging
- ▶ Reusable packaging
- ▶ Added accessories
(Cables, leaflet, ...)

- ▶ Lifecycle management
- ▶ SW recovery package
- ▶ Repair
- ▶ Service Kits
- ▶ Support

Turnkey solutions made easy with MediClient/MediView

MEDICLIENT – SECURITY & RECOVERY



- Integrated
- application specific implementation



RECOVERY PACKAGE


Simple system restore:

- ▶ Suitable for development, production, service and support
- ▶ License-free use in Service and Support
- ▶ Short backup and recovery times
- ▶ OS independent (Linux and Windows)
- ▶ Can be used in network and locally
- ▶ Simple and digital provision (no media)
- ▶ No license entry necessary (if label not visible)

APPLICATIONS



- ▶ Ward room / Nurse room
- ▶ Operating room
- ▶ Recovery room
- ▶ Intensive care unit
- ▶ Areas with high hygienic requirements
- ▶ Laboratory / clean room
- ▶ Pharmacies



MediClient connects clinical IT with medical devices and wearables


MEDICLIENT/MEDIVIEW – USER FRIENDLY

USER FRIENDLY

- ▶ Designed for high hygiene standards
Smooth and inclined surfaces, flush all-glass front
No sharp edges and soft bendings
- ▶ Anti-glare and anti-fingerprint front
- ▶ Dust protected housing
- ▶ Highly resistant to detergents and disinfects
- ▶ PCAP ready for glove operation
Water drop rejection and palm rejection
- ▶ Separated functional units for easy maintenance
- ▶ Integrated RFID for contactless authentication (optional)
- ▶ Designed, built and supported in Germany

SIMPLE INTEGRATION

EASY MODIFICATION



Designed and built for smooth, reliable operation

MEDICLIENT/MEDIVIEW – SIMPLE INTEGRATION

USER FRIENDLY

SIMPLE INTEGRATION

EASY MODIFICATION

- ▶ State of the art medical design
- ▶ Scalable performance with Kontron COMe modules (from Intel Atom® to Intel®Core™ CPUs)
- ▶ Panel-PC and monitor in same look and feel available
- ▶ Option: Integrated WiFi, BT and RFID
- ▶ Weight optimized (<10kg incl. stainless steel enclosure)
- ▶ Isolated DC/DC according to IEC 60601
- ▶ 2x GbE and 3x isolated serial ports compliant with IEC 60601-1



Attractive design with integration-friendly featureset

MEDICLIENT/MEDIVIEW – EASY MODIFICATION

USER FRIENDLY

- ▶ Designed for easy customization
Front glass shape and print, housing colors, ...
- ▶ OEM branded device, OEM branded packaging, ...
- ▶ IO-extensions e.g. serial ports, CAN, ...
- ▶ Input Power 24VDC non-isolated / 24VDC isolated
- ▶ High brightness display / other display sizes
- ▶ Storage: multiple sizes, SuperMLC, ...
- ▶ Multiple touch options: PCAP / protection glass
- ▶ Multiple front glass options: antibacterial, UV protection, IR protection, anti-glare, anti-reflexion

SIMPLE INTEGRATION

EASY MODIFICATION



Cost effective and individual solutions enabled by a proven platform

OUR CHANGING WORLD IS FILLED WITH
BOUNDLESS OPPORTUNITIES



WE LOOK FORWARD TO
EXPLORING THEM WITH YOU